GUBI

SPECIFICATIONS
V.22.02.21

Multi-Lite Pendant - Small, Chrome base, US

Louis Weisdorf - 1972



ITEM NUMBER	Multi-Lite Pendant - Small, Chrome base, US (Black Semi Matt)	10055880
	Multi-Lite Pendant - Small, Chrome base, US (Chrome)	10055881

DESCRIPTION

The small Multi-Lite Pendant embraces the golden era of Danish design with its characteristic shape of two opposing outside, mobile shades that enable creating a personal installation and a wide range of lighting values in a room. By individually rotating the shades, the Multi-Lite Pendant can be transformed into multiple combinations where the light can be directed upwards, downwards or exude an asymmetrical art light.


The Multi-Lite was first drawn in 1972 when Louis Weisdorf did an exception to his own design custom of using multiple repeating elements. Instead it reflects his passion for diversity. Two cylindrical shapes lay the foundation of the lamp and a metal ring encompasses it and anchors the two quarter-spherical shades, which ultimately completes a picture of an iconic design with multiple purposes. The Multi-Lite Pendant has a timeless expression that fits into any domestic setting.

Materials & Finishes

SHADE FINISH	Black Semi Matt, Chrome
BASE FINISH	Chrome
CORD SHAPE	Round
CORD COLOUR	Black textile
MATERIALS	Steel

Dimensions & Weight

LAMP WIDTH	27.1 cm / 10.6 in
LAMP DEPTH	25.5 cm / 10 in in
LAMP HEIGHT	28.2 cm / 11.1 in
SHADE WIDTH	22.5 cm / 8.9 in
SHADE DEPTH	22.5 cm / 8.9 in
SHADE HEIGHT	19.2 cm / 7.6 in
CANOPY WIDTH	115 cm / 45.3 in
CANOPY DEPTH	115 cm / 45.3 in
CANOPY HEIGHT	57 cm / 22.4 in
CORD LENGTH	380 cm / 149.6 in



Weight

TOTAL WEIGHT	1.5 kg / 3.3 lbs

Packaging


NUMBER OF PARCELS	1
PACKAGING LENGTH	37 cm / 14.6 in
PACKAGING WIDTH	27 cm / 10.6 in
PACKAGING HEIGHT	31 cm / 12.2 in
PACKAGING WEIGHT	0.9 kg / 2 lbs

GROSS WEIGHT	2.4 kg / 5.3 lbs

Electrical Specifications

BULB SOCKET	E12
RECOMMENDED BULB	470 Lumen (≤ 40W incandescent ≤ 30W halogen, ~ 5-6W LED Dimmable)
VOLTAGE	120V
BULB INCLUDED	No

Test & Certifications

CERTIFICATION	
ISOLATION CLASS	II
IP CLASSIFICATION	20

SUSTAINABILITY	Parts can be separated and sorted for recycling

KEY FEATURES	Adjustable quarter-sphere shades